


HT8



Multipurpose Vessel

HT8



TECHNICAL SPECIFICATION

Classification:	ZSUK Zone 2-3
Dimensions:	LOA: 25,61 m Breadth: 8,65 m Draft: 1,20 m Air draft: 5,20 m
Propulsion:	2 x MAN 125 KW / Schottel SAP 100
Auxiliary:	1 x 35 KV _a / 400 V
Speed:	9 Kn
Spud legs:	2 x 19 m for a water depth up to 17 m
Deck equipment:	4 point-mooring winches, 60 m
Crane:	11,8 to @ 5,0 m / 2,30 to @ 16,00 m
Cargo area:	Free working deck: 40 m ² Deck load capacity: 20 to Fuel capacity: 5 to Fresh water capacity: 2 to




Hansataucher GmbH

Peuter Elbdeich 35
D-20539 Hamburg

Phone +49 (0) 40 78 55 84
Fax +49 (0) 40 789 87 51
Email info@hansataucher.de

HT8



TECHNICAL SPECIFICATION

Communications: 2 x VHF radio
1 x handheld radioGPS compass JLR-21

Navigation Equipment: Radar JMA-610
Echo sounder RZ0315
Turn indicator EBF01
AIS FA-170

Accommodation: 1 single cabins
1 double cabins
Fully equipped mess room
Galley
Shower, washing machine, WC
heating in all rooms

Other Equipment: 20 KW generator
Equipment for diving in explosive ordnance recovery and sounding
Fully equipped workshop
Underwater welding an distillery
4 hydraulic anchor winches / mooring winches
2 x bow and 2 x stern anchors
Flushing and suction device
Air and watter jack
Dinghy 4,99 m x 2,10 m x 0,30 m with 50 hp outboard motor




Hansataucher GmbH

Peuter Elbdeich 35
D-20539 Hamburg

Phone +49 (0) 40 78 55 84
Fax +49 (0) 40 789 87 51
Email info@hansataucher.de

HT8



Hansataucher GmbH

Peuter Elbdeich 35

D-20539 Hamburg

Phone +49 (0) 40 78 55 84

Fax +49 (0) 40 789 87 51

Email info@hansataucher.de